

1/12

FIG. 1






FIG. 2



2/12

FIG. 3



3/12

FIG. 4A




FIG. 4B





FIG. 4C



4/12

FIG. 5






FIG. 6



5/12

FIG. 7




6/12

FIG. 8


ID	Transmission condition	Destination information
1	At least 3 times/sec	aaa @ dcm.ne.jp
2	At least 5 sec	bbb @ xyz.co.jp

FIG. 9



7/12

FIG. 10



8/12

FIG. 11

ID	Capture button identifier	Operation information
1	1	sendmail abc @ yyy.co.jp store ¥ self
2	2	sendmail yyz @ aaa.ne.jp store ¥ girlfriend
3	3	store ¥else
4	4	sendmail ppp @ abz.ne.jp
5	5	
6	6	sendmail friends list
7	7	
8	8	
9	9	
10	*	
11	0	
12	#	


FIG. 12

Capture button identifier	Operation information
1	xyz @ ccc.co.jp
2	abx @ yyc.ne.jp
⋮	⋮



9/12

FIG. 13



10/12

FIG. 14




FIG. 15

Condition	Destination information
110	police@abc.ne.jp
119	firedept@xyz.ne.jp
...	...
3855*	home@yyy.com

11/12

Reference marks of the drawings

101	Lens unit
102	Image pickup device
103	Camera image processor
104	Power unit
105	Central processor
106	Memory (RAM)
107	ROM
108	Compressor/expander
109	Interface (I/F)
109A	Recording medium
110	Display unit
111	Operating unit
111A	Display
110B	Touch panel
201	Destination information receiver
202	Destination information accumulation unit
203	Destination information storage
204, 604, 903, 1304	Transmitter
205	Image data acquisition unit
41	Operating unit
41A	Button
42	Display unit
42A, 42B	Display
43	Image data acquisition unit
44	Microphone
45	Speaker
46	Transmitter/receiver
47	Memory
48	CPU
51	Field
52	Registration button
601	Transmission condition storage
602, 1301	Operating information acquisition unit
1301A	Operating information buffer
603, 1303	Determination unit

12/12

901	Operation information storage
902	Operation unit
1302	Condition storage